

## Thyroid Disorders Prescription Referral Form NPI: 1225548480 • Ph: 888.618.4126 • F: 866.588.0371

**Note:** Faxed prescriptions will only be accepted from a prescribing practitioner. Patients must bring an original prescription to the pharmacy. Prescribers are reminded patients may choose any pharmacy of their choice.

•		
,	A\ - 1	
	(()	
l l	<b>V</b> V <b>+ A</b>	

Patient Information

Please fax FRONT and BACK copy of ALL Insurance cards (Prescription and Medical)

Patient Name:		Birthdate:	_ Sex: Male	Female Height:	Weigl	nt: I	lbs. kg.
Allergies:		Patient Primary Language:	English Sp	oanish Other:		Hearing	g Impaired
Patient Phone:	Patient Email:		C	aregiver Name:			
Patient Address:		City:			_ State:	Zip:	
2 Diagno	sis/Clinical Information	Please FAX Clinical Notes, Lab	os, & Tests witl	h the prescription	to expedite F	Prior Authoriza	ation.
Diagnosis/ICD-10:			Prior Faile	ed Treatments:	Must be c	ompleted for all	patients.
E03.9 Hypothyroidism			Treatme	ent Type	Drug Name	Dates of	Use
E06.3 Autoimmune Th	nyroiditis			our Thyroid			
ř	ravidarum with Metabolic Disturbances			Thyroid			
Other:				:hroid throid			
Rationale for Therapy:			Levo				
₹ ·	intolerances, or sensitivities to (check all	****	Levo	othyroxine			
Acacia Glu Corn Lac	ten Other:		Cyto				
d	crose			nyronine er:			
Patient has difficulty s				ent Naïve: Yes	No		
Patient is using a feed	•		Heating	103	110		
Pediatric use			Prov	vider has determined t	hat the alternat	ive treatment opt	tions
Precise dose needed t	that is not able to be achieved with alterna	atives	wou	ld not be as effective	as the prescribe	ed medication, m	nay
	abilized on the requested medication, and			se adverse reaction or lested medication is n			ore the
	n or loss of effectiveness. Start date of Tire	osint:				•	
(§3) Prescri	iption Information	Please be sure to	choose both in	nduction and main	tenance dose	e where applic	cable.
Medication	Dose/Stre	ngth		Direction		Qty.	Refills
TIROSINT® CAPSULES	TIROSINT 13mcg CAP 3x10 TIROSINT 25mcg CAP 3x10 TIROSINT 50mcg CAP 3x10 TIROSINT 75mcg CAP 3x10 TIROSINT 88mcg CAP 3x10 TIROSINT 100mcg CAP 3x10	TIROSINT 112mcg CAP 3x10 TIROSINT 125mcg CAP 3x10 TIROSINT 137mcg CAP 3x10 TIROSINT 150mcg CAP 3x10 TIROSINT 150mcg CAP 3x10 TIROSINT 200mcg CAP 3x10	minutes before	Take 1 capsule by mouth every morning 30 to 60 minutes before a meal.  Other:			
TIROSINT® SOLUTIONS	TIROSINT-SOL 13mcg AMP 30 TIROSINT-SOL 25mcg AMP 30 TIROSINT-SOL 37.5mcg AMP 30 TIROSINT-SOL 44mcg AMP 30 TIROSINT-SOL 50mcg AMP 30 TIROSINT-SOL 62.5mcg AMP 30 TIROSINT-SOL 75mcg AMP 30 TIROSINT-SOL 88mcg AMP 30	TIROSINT-SOL 100mcg AMP 30 TIROSINT-SOL 112mcg AMP 30 TIROSINT-SOL 125mcg AMP 30 TIROSINT-SOL 137mcg AMP 30 TIROSINT-SOL 150mcg AMP 30 TIROSINT-SOL 175mcg AMP 30 TIROSINT-SOL 200mcg AMP 30	before a meal.	rink solution every morning 30 to 60 minutes efore a meal. If desired, dilute in water only. ther:			
Clinic Name:	er/Prescriber Information						
Provider Phone:	Provider Fax:	DEA#:		NPI	#:		
Provider Address:		O:+ ·			Ctoto		
		City:			_ State:	Zip:	
Prescriber Sign	nature: Prescriber, please sign and	d date below (NO stamps please				Zıp:	