

Urology Prescription Referral Form NPI: 1225548480 • Ph: 888.618.4126 • F: 866.588.0371

Note: Faxed prescriptions will only be accepted from a prescribing practitioner. Patients must bring an original prescription to the pharmacy. Prescribers are reminded patients may choose any pharmacy of their choice.

	SPECIALTY PHARMACY
(1	Patient Information

Patient	Information

Patient Name:			Birthdate:	Sex:	Male Fen	nale Height: _	Weight:	:	lbs. kg.
Allergies:			Patient Primary Lan	guage: Engli	sh Spanish	Other:		_ Hearing	g Impaired
Patient Phone:		Patient Email:			Caregive	er Name:			
Patient Address:			City:				_ State:	Zip:	
Diagnosis	/Clinical Inform	mation	Please FAX Clinical Note	s, Labs, & Te	ests with the	prescription t	o expedite Pri	ior Authoriz	ation.
Diagnosis/ICD-10:				Р	rior Failed Trea	atments:	Must be con	npleted for al	I patients.
	3 Other Polyuria I	R35.81 Nocturnal Pol	yuria Other:		Treatment Typ	e	Drug Name	Dates of	Use
How many voids per night for	the last 6 months? _	·			Detrol/Detr	ol LA			
Have lifestyle changes been n	made to avoid nocturi	a: Yes No			DDAVP Tab	olet			
Has the patient had any of the	e following in the last	6 months:			Enablex Myrbetrig				
Renal Impairment (eFGR I	less than 50mL/min)	Uncontrolled Hy	pertension Polydipsia	a	Oxybutynin	ı			
Hyponatremia or History of	f Hyponatremia	Uncontrolled Dia	abetes Mellitus Nocturna	I Enuresis	Toviaz				
Chronic Prostatitis/Pelvic F	Pain Syndrome	Interstitial Cystiti	is SIADH		Trospium C VESIcare	Chloride			
Bladder Outlet Obstruction	n (BOO)	Congestive Hear	t Failure		Other:				
Diagnosis Procedure(s) or La	aboratory Test(s):				Black Box Warn	ing.			
Test/Procedure:	I	Date Performed:	Results:						
			-			•	aware of Black lifts to outweigh the	0,	and
					Provider ha	s determined th	nat the alternative	e treatment on	tions
					would not b	e as effective as	s the prescribed edication is medic	medication, a	nd
3 Prescripti	ion Informatior)	Please be su	re to choose	both induction	on and maint	enance dose v	where appli	cable.
Medication	Dose/S	Strength			Direction			Qty.	Refills
Medication	Dose/S	Strength			Direction			Qty.	Retills
	27.7mcg (Femal		Dissolve 1 tablet unde		ight at bedtime.			Qty. 30	Retilis
Medication NOCDURNA®			Dissolve 1 tablet unde		ight at bedtime.				Ketilis
	27.7mcg (Femal				ight at bedtime.				Refills
	27.7mcg (Femal				ight at bedtime.				
	27.7mcg (Femal				ight at bedtime.				
	27.7mcg (Femal				ight at bedtime.				Ketilis ——
	27.7mcg (Femal				ight at bedtime.				
	27.7mcg (Femal				ight at bedtime.				Ketilis
	27.7mcg (Femal				ight at bedtime.				Ketilis
	27.7mcg (Femal				ight at bedtime.				
	27.7mcg (Femal				ight at bedtime.				
	27.7mcg (Femal				ight at bedtime.				
	27.7mcg (Femal				ight at bedtime.				
	27.7mcg (Femal				ight at bedtime.				
NOCDURNA®	27.7mcg (Femal 55.3mcg (Male)	e)			ight at bedtime.				
NOCDURNA®	27.7mcg (Femal 55.3mcg (Male)	e) rmation			ight at bedtime.			30	
NOCDURNA® Provider/F	27.7mcg (Femal 55.3mcg (Male)	e) rmation	Other:	Jame:	ight at bedtime.			30	
NOCDURNA® Provider/F Clinic Name: Provider Phone:	27.7mcg (Femal 55.3mcg (Male)	rmation Provider Fax:	Other: Provider N	lame:#:	ight at bedtime.	NPI#	:	30	
NOCDURNA® Provider/F Clinic Name: Provider Phone: Provider Address:	27.7mcg (Femal 55.3mcg (Male)	rmation Provider Fax:	Other: Provider N	lame:	ight at bedtime.	NPI#	:	30	
NOCDURNA® Provider/F Clinic Name: Provider Phone: Provider Address:	27.7mcg (Femal 55.3mcg (Male)	rmation Provider Fax:	Other: Provider N DEA City: ate below (NO stamps p	lame:	ight at bedtime.	NPI#	:		